

# All India Council for Technical Education

(An Autonomous Organization, Under Ministry of HRD, Govt. of India).



Nelson Mandela Marg, Vasant Kunj, New Delhi-110067 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 <https://www.aicte-india.org>

## APPROVAL PROCESS 2018-19

### Application Deficiency Report

#### DEFICIENCY REPORT AS PER CURRENT INTAKE (Applicable for Existing Institutes only)

Regional Office		Western	
Application Id	1-3508374205	Permanent Id	1-8773881
Name of the Institute	SSBT'S COLLEGE OF ENGINEERING & TECHNOLOGY	Address	POST BOX NO. 94 N.H. 6, BAMBHORI, JALGAON 425 001 MAHARASHTRA STATE
City/Village	JALGAON	District	JALGAON
State	Maharashtra	Pin	425001

**Overall Deficiency of Institute:** No

Designation	Name	Appointment Type	Qualification	PhD
Principal/Director	KISHOR WANI	Regular	B.SC. TECH.(CHEMICAL TECH.), M.TECH (CHEMICAL TECH.), DBM	Yes

#### Other Details

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	List of faculty and data uploaded on the Institute web portal	Yes	No
2	Are all approved teaching faculty being paid as per VI pay commission?	Yes	No
3	Whether Institute is operating from Permanent Site/ Temporary Site?	Permanent Site	No
4	Fees to be charged, Reservation policy, Admission policy and Document retention policy are uploaded in Institute's Website?	Yes	No
5	Courses/Approved Intake displayed at the entrance of the Institute?	Yes	No

#### Anti-Ragging Related Deficiency Status

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	Constitution of Anti-Ragging Committee	Yes	No
2	Constitution of Anti-Ragging Squad	Yes	No
3	Undertaking obtained from all Students	Yes	No
4	Appointment of Counselors	Yes	No
5	Undertaking obtained from parents of all the students	Yes	No
6	Undertaking obtained from students staying in Hostel	Yes	No
7	Undertaking obtained from parents of students staying in Hostel	Yes	No

#### Ombudsman Related Deficiency Status

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	Grievance Committee	Yes	No

#### Total Number of Students in Institute

(i)	No. of Students UG	2580
(ii)	No. of Students PG	246
(iii)	No. of Students DIPLOMA	0
Total Students (CI) (UG+PG+DIPLOMA)		2826

#### Faculty

##### Institute Level Faculty

Type	Actual No.	Required No. as per CI	Deficiency
Total Faculty(UG+PG+Diploma)	154	141	No

#### Administrative Area

Type	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
Principal / Director Office	90	30	No
Board Room	107	20	No
Office All Inclusive	441	300	No
Department Offices/Cabin for Head of Dept	609	180	No
Central Store	72	30	No
Maintenance	100	10	No
Security	10	10	No
Housekeeping	10	10	No
Pantry for Staff/Faculty	10	10	No
Exam Control Office	80	30	No
Training Placement Office	54	30	No

## Application Deficiency Report



Application Status: **Submitted**  
Application Sub-Status: **Payment Received**

Report Generated on :-07/02/2018

<b>Amenities Area</b>			
Type	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Boys Common Room	175	100	No
Girls Common Room	162	100	No
Cafeteria	761	150	No
Stationery Store & Reprography	72	10	No
First aid cum Sick Room	18	10	No

<b>Computational Facilities</b>			
Type	Available	Required	Deficiency
Internet Bandwidth	68	48	No
Printers	85	25	No
A1 size Color Printers	0	0	No
Legal Application S/W	69	30	No
Legal System S/W	54	4	No
PCs to Student ratio	862	482	No

<b>Library Facilities</b>			
Type	Available	Required	Deficiency
Volumes	63255	47300	No
Titles	13434	8300	No
National Journals	100	85	No
Library Management Software	1	1	No
Reading Room Capacity	330	150	No
MultiMediaPC	20	10	No

<b>Instructional Area-Common Facilities</b>			
Type	Available	Required	Deficiency
Computer Center	306	300	No
Library & Reading Room	927	580	No
Language Laboratory	108	66	No

<b>Land Area Details</b>			
Type	Available	Required	Deficiency
Total Area of Land	25	7.5	No
Maximum number of Pieces	1	1	No
Minimum per Piece of Area	25	7.5	No

<b>ENGINEERING AND TECHNOLOGY / Existing Programme</b>				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	UNDER GRADUATE	4727	2607	No
Additional Workshop/Labs	UG/PG	826	800	No
Class Rooms - PG	POST GRADUATE	419	66	No
Laboratories-All	UG/PG	7694	4476	No
Workshops - Basic	UG/PG	200	200	No
Drawing Halls	UG/PG	208	132	No
Seminar Hall	UG/PG	1216	528	No

<b>MANAGEMENT / Existing Programme</b>				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	POST GRADUATE	167	165	No
Seminar Hall	POST GRADUATE	134	132	No

<b>Other Facilities</b>			
Sr. No.	Type	Availability	Deficiency
1	All Weather Approach (Motorised Road)	Yes	No
2	Barrier free Environment	Yes	No
3	Electric Supply	Yes	No

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Printed By : ae3227935

## Application Deficiency Report



Application Status: **Submitted**  
Application Sub-Status: **Payment Received**

Report Generated on :-07/02/2018

4	General Insurance	Yes	No
5	Institution Web Site	Yes	No
6	Standalone Language Laboratory	Yes	No
7	Medical & Counseling	Yes	No
8	Notice Boards	Yes	No
9	Potable Water Supply	Yes	No
10	Safety Provisions	Yes	No
11	Sewage Disposal System	Yes	No
12	Telephone & FAX	Yes	No
13	Vehicle Parking	Yes	No
14	First Aid	Yes	No
15	Appointment of Student Counsellor	Yes	No
16	Establishment of Anti Ragging committee	Yes	No
17	Establishment of committee for SC/ST	Yes	No
18	Establishment of Internal Complaint Committee (ICC) As per section 4 of SexualHarassment of Women at Workplace (Prevention, Prohibition and Redressal) Act,2013	Yes	No
19	Establishment of Grievance Redressal Committee in the Institute and Appointment of OMBUDSMAN by the University	Yes	No
20	Digital Payment for all Financial Transactions as per MHRD Directives	Yes	No
21	Compliance of the National Academic Depository (NAD) as per MHRD Directives	Yes	No
22	Display Board within the premises as well as in the Website of the Institution Indicating the Feedback Facility of Students and Faculty available in the AICTE Web Portal	Yes	No
23	Implementing Food Safety and Standard Act,2006 in the Institution	Yes	No
24	Copies of AICTE Approvals (LOA and EOA of subsequent years)obtained since Inception of Institution till date shall be placed in the Website of the Institution	Yes	No
25	Provision to watch MOOCS Courses through Swayam	Yes	No
26	Implementation of Unnat Bharat Abhiyan	Yes	No
27	Institution-Industry Cell	Yes	No
28	Group Insurance for Employees	Yes	No
29	Insurance for Students	Yes	No
30	Applied membership-National Digital Library	Yes	No
31	Implementation of Security Measures	Yes	No
32	Online Grievance Rederssal Mechanism	Yes	No

### DEFICIENCY REPORT AS PER INTAKE APPLIED FOR YEAR 2018-2019

Computational Facilities			
Type	Available	Required	Deficiency
Internet Bandwidth-Applied Intake	68	64	No
Printers-Applied Intake	85	23	No
A1 size Color Printers-Applied Intake	0	0	No
Legal Application S/W-Applied Intake	69	30	No
Legal System S/W-Applied Intake	54	4	No
PCs to Student ratio-Applied Intake	862	458	No

Library Facilities			
Type	Available	Required	Deficiency
Volumes	63255	47800	No
Titles	13434	8750	No
National Journals	100	85	No
Library Management Software	1	1	No
Reading Room Capacity	330	150	No
MultiMediaPC	20	10	No

ENGINEERING AND TECHNOLOGY / Existing Programme				
Type	Level	Actual Room	Expected Room	Deficiency

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Printed By : ae3227935

## Application Deficiency Report



Application Status: **Submitted**  
Application Sub-Status: **Payment Received**

Report Generated on :-07/02/2018

		Area (Sqm.)	Area (Sqm.)	
Class Room-Tutorial Room	UNDER GRADUATE	4727	2607	No
Additional Workshop/Labs	UG/PG	826	400	No
Class Rooms - PG	POST GRADUATE	473	99	No
Laboratories-All	UG/PG	7694	4674	No
Workshops - Basic	UG/PG	200	200	No
Drawing Halls	UG/PG	208	132	No
Seminar Hall	UG/PG	1216	858	No

<b>MANAGEMENT / Existing Programme</b>				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	POST GRADUATE	167	165	No
Seminar Hall	POST GRADUATE	134	132	No

### Note

XX- No Rooms Available

DNA- Data Not Available / Insufficient Data

Blank Field-Data Not Entered

\* Laboratories required and Actual Number includes Total Number of Laboratories, Research Laboratories, and Additional WS/Labs for UG and PG courses, as applicable

^ Actual Number of Tutorial Rooms for Under Graduate includes the Number of Tutorial Rooms Available for PG, if applicable

\*\* Actual Number of Guest Rooms for Under Graduate includes the Actual Number of Guest Rooms Available for PG, if applicable

\*\*\* Actual Number of Kitchen for Under Graduate includes the Actual Number of Kitchen Available for PG, if applicable

\*\*\*Note :- All the Dates in the Report are in (dd/mm/yyyy) format

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Printed By : ae3227935

## **Application Deficiency Report**



Application Status: **Submitted**  
Application Sub-Status: **Payment Received**

Report Generated on :-07/02/2018

### **DECLARATION**

**BY THE PRINCIPAL/DIRECTOR/REGISTRAR OF THE INSTITUTE/UNIVERSITY DEPARTMENT**

I, as the Head of the Institution, hereby declare that:

a) I have carefully gone through the AICTE Regulations Notification dated on 30th November, 2016, published in the Gazette of India - Extraordinary Part III, Section- 4 and its amendment 05th December 2017 also the various provisions mentioned in the Approval Process Hand Book 2018-19.

b) I am fully aware of the data uploaded by me in respect of my institute on the web portal.

c) I am aware that there is no provision for correction of data, alteration of data, subsequent editing and appeal etc. for the online application once uploaded on the web portal.

d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of intake, Addition of new courses, Change of site, Closure of course, Supernumerary Seats under PIO/FN/Gulf quota Approval status/OCI, NRI, Change of name, and Conversion of women institute into Co-ed institute and vice versa (as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Hand Book 2018-19.

e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my institute on the portal.

f) I am also aware that Institute is eligible for grant of Extension of Approval to the Existing Institutions, Extended EoA(if Applicable as per APH 2018-19), only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Hand Book 2018-19.

**Signature of Principal/Director/Registrar**

**Name :**

**Seal/Stamp of the Institute/University Department**